



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 1 259 053 A1

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
20.11.2002 Bulletin 2002/47

(51) Int Cl.7: **H04M 1/725**, H04M 1/66

(21) Application number: **02010658.9**

(22) Date of filing: **13.05.2002**

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR**
Designated Extension States:
AL LT LV MK RO SI

(72) Inventor: **Cole, Zoe Susan**
Basingstoke, Hampshire RG22 5RN (GB)

(74) Representative: **Treleven, Colin et al**
Motorola European Intellectual Property
Operations,
Midpoint,
Alencon Link
Basingstoke, Hampshire RG21 7PL (GB)


(30) Priority: **15.05.2001 GB 0111842**

(71) Applicant: **MOTOROLA, INC.**
Schaumburg, IL 60196 (US)

(54) **Radio communication device**

(57) There is provided a method for managing an activity schedule of a radio communication device 2 by scheduling, in advance, switching of the device into an inactive mode and switching back to an active mode. The method comprises the steps of introducing into memory 32 data defining the beginning and the end of the inactive mode period. During the inactive mode period all incoming calls will be stacked in a list or diverted to a voicemail.

There is also provided a radio communication device 2 comprising a memory 32 for storing the data defining inactive mode period or periods, a controller 20, and a user interface. The user interface is typically a keypad 44 and a display screen 42 used for introducing the data and for modifying it. The controller 20, basing on the data stored in the memory 32, controls switching of the device 2 into each desired mode at the proper time.



EP 1 259 053 A1

Description

Technical Field

[0001] The present invention relates to radio communication devices. In particular, it relates to a method of managing an activity schedule of a radio communication device.

Background

[0002] A large variety of radio communication devices, henceforth "communication devices", are known in the prior art. Examples of these are mobile phones, and portable- or mobile (PMR) radios. Some personal digital assistants (PDAs) and lap top computers also have radio links to connect them to other devices and networks.

[0003] In known radio communication devices of the prior art, the user of the device can switch the device to an inactive mode by pressing a key or special combination of keys. When the device stays in the inactive mode, incoming calls do not activate the device. Instead the incoming calls are quietly stacked in a list, or diverted to a voicemail. The communication device is maintained silent until the button is pressed again.

[0004] This prior art method of managing the divert function depends on the user remembering to activate it. The inventor has found that this may lead to unwanted situations in an operational environment. The user can easily forget to press the button to inactivate the device before the meeting. In such a situation, incoming calls will cause disturbances. Furthermore, the user may forget to switch off the "divert" mode after the meeting. If this were to happen, then the calls will not be listened to at the earliest opportunity. When the device stays too long in the inactive mode, the list of stored calls becomes unnecessarily longer and finally can fill up the memory.

Prior art arrangements are known from published patent applications GB-A-2297884, WO-A-9933305, FR-A-2760312 and GB-A-2324225, US-A-5509015, JP-A-080149560, WO-A-0145280 (published 21 June 2001, after the priority date of the present application).

Summary of the Invention

[0005] It is an object of the present invention to provide a novel method and device for managing an activity schedule of a radio communication device which overcomes the disadvantages of the prior art.

[0006] In accordance with the present invention, there is thus provided a method for managing an activity schedule of a radio communication device. The management is done by scheduling in advance the switching of the device into an inactive mode and back to an active mode. The method comprises the steps of introducing data defining the beginning and the end of the inactive mode period into the device's memory. During the inactive mode period, all incoming calls are stacked in a list or diverted to a voicemail.

During the inactive mode period, all incoming calls are stacked in a list or diverted to a voicemail.

[0007] In accordance with another aspect of the present invention, there is provided a radio communication device comprising a memory for storing data defining an inactive mode period or periods, a controller and a user interface. The user interface is typically a display screen and a keypad used for introducing and modifying the data. The controller controls switching the device into desired mode at the proper time, based on the data stored in the memory. During the inactive mode period, the radio communication device is adapted such that all incoming calls are stacked in a list or diverted to a voicemail.

[0008] The advantage of the present invention is that it helps to adapt the activity schedule of the device to the time schedule of its user. Automatic switching into each desired mode avoids calls that would disturb the user, and avoids filling up the memory.

Brief description of the drawings

[0009] The present invention will be understood and appreciated more fully from the following detailed description taken in conjunction with the drawing, in which:

Fig. 1 is a schematic illustration of a communication device operative in accordance with the present invention.

Detailed description of the preferred embodiment

[0010] A method of managing activity schedule of a radio communication device is provided. The method is based on scheduling in advance the switching of the communication device into an inactive mode at a beginning of defined period. At the end of this defined period, the device is switched back into an active mode. The method comprises the steps of introducing, to a memory of the device, data on the beginning and the end of the inactive mode period. By scheduling the changes of activity of the device, the user can adapt the activity schedule of the device to his/her own time schedule. During the inactive mode period, all incoming calls are either stacked in a list, or are diverted to a voicemail.

[0011] The data defining the beginning of the inactive mode period can be a date, an hour and a minute. The data defining the end of the inactive mode period can be either a duration of the period or a date and time, defined in the same way as for the beginning of the period.

[0012] In the memory of the device, the data defining more than one inactive mode period can be stored. The data can be changed dynamically, or can be deleted by the device's user.

[0013] The data defining the inactive mode period can be loaded from an internal organiser. This can be done by assigning an inactive mode period to some previous-

ly defined events. The data may also be loaded from an external organiser, such as a personal digital assistant (PDA) or a computer. The data can also be introduced manually, using the keypad and the display screen.

[0014] It is possible to manually switch the device between modes at any moment. This manual 'override' allows a user to retain control over the operating mode. If, for example, a meeting finishes early, the user can switch the device to an active mode, before the scheduled end of the meeting.

[0015] Figure 1 shows an embodiment of a communication device 2 in accordance with the present invention. The communication device 2 of figure 1 can transmit speech from a user of the device. The communication device 2 comprises a microphone 34, which provides a signal for transmission. Transmission circuit 22 transmits the signal from the microphone. Transmission circuit 22 transmits via switch 24 and antenna 26.

[0016] The communication device 2 also has a controller 20 and a memory 32. Controller 20 may be a microprocessor.

[0017] The communication device 2 of figure 1 also comprises a display screen 42 and keypad 44, which serve as part of the user interface circuitry of the communication device. At least the keypad 44 portion of the user interface circuitry is activatable by the user. Voice activation of the communication device, or other means of interaction with a user, may also be employed.

[0018] Signals received by the communication device are routed by the switch 24 to receiving circuitry 28. From there, the received signals are routed to controller 20 and audio processing circuitry 38. A loudspeaker 40 is connected to audio circuit 38. Loudspeaker 40 forms a further part of the user interface.

[0019] A data terminal 36 may be provided. Terminal 36 provides a signal comprising data for transmission by transmitter circuit 22, switch 24 and antenna 26.

[0020] In operation, the communication device 2 is capable of storing in the memory 32 the data defining the beginning and the end of the inactive mode period. On the basis of the data stored in the memory 32, the controller 20 switches the device 2 into the inactive mode at the beginning of the inactive mode period and back into the active mode at its end.

[0021] During the inactive mode period, all incoming calls are stacked in a list or diverted to a voicemail.

[0022] The display screen 42 and the keypad 44 of the communication device 2 can be used for manually introducing the data, and for dynamically changing or deleting the data.

[0023] The present invention has provided a radio communication device and a method of managing its activity that substantially alleviates the aforementioned problems.

Claims

1. A method of managing an activity schedule of a radio communication device, by scheduling in advance a switching of said device into an inactive mode and a switching back to an active mode, according to a time schedule of a user, the method comprising the steps of:

- introducing data on a beginning of an inactive mode period to a memory; and
- introducing to said memory data on an end of said inactive mode period;

wherein, during said inactive mode period, all incoming calls are stacked in a list and/or diverted to a voicemail.

2. A method according to claim 1, wherein said data on the beginning of said inactive mode period is a date, an hour and a minute and said data on the end of said inactive mode period is a duration of said inactive mode period.

3. A method according to claim 1 wherein said data on the beginning of said inactive mode period is a date, an hour and a minute, and said data on the end of said inactive mode period is a date, an hour and a minute.

4. A method according to claim 2 or claim 3, wherein said memory is adapted to store data on more than one said inactive mode period.

5. A method according to any of claims 2 - 4, wherein said data on the beginning and/or the end of said inactive mode period can be dynamically changed by a user of said communication device.

6. A method according to any of claims 2 - 5, wherein said data on the beginning and/or the end of said inactive mode period can be loaded from an internal and/or an external organiser.

7. A radio communication device comprising a keypad, a display screen and a memory operably coupled to a controller, said memory storing a time schedule of a user of said communication device, said keypad and said display screen being operable to assign an inactive mode period to an event of said time schedule, said controller being adapted to switch said communication device to an inactive mode at a beginning of, and to an active mode at an end of, said inactive mode period, wherein, during said inactive mode period, all incoming calls are stacked in a list and/or diverted to a voicemail.

8. A radio communication device according to claim 7, wherein said data on the beginning and the end of said inactive mode period can be:

- a) manually introduced to said memory of said radio communication device using said keypad and said display screen; and/or
- b) displayed on said display screen and dynamically changed by said user of said radio communication device.

9. A radio communication device according to claim 7, wherein said data on the beginning and the end of said inactive mode period can be loaded from an external organiser.

10. A radio communication device according to any of claims 7-9, wherein said memory can store data on more than one said inactive mode period.

20

25

30


35

40

45

50

55





European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 02 01 0658

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	EP 0 399 520 A (HITACHI LTD) 28 November 1990 (1990-11-28) * column 6, line 49 - column 8, line 57; figures 1,2 * * column 15, line 35 - column 27, line 25; figures 5-26 * ---	1-5,7,8, 10	H04M1/725 H04M1/66
Y	WO 99 39490 A (ERICSSON GE MOBILE INC) 5 August 1999 (1999-08-05) * page 7, line 3 - page 12, line 17; figures 1-7 * ---	1,7,8	
Y	WO 99 21101 A (ERICSSON GE MOBILE INC) 29 April 1999 (1999-04-29) * page 7, line 28 - page 13, line 15; figures 1-7 * ---	1,7,8	
A	WO 98 07265 A (GATEWAY 2000 INC) 19 February 1998 (1998-02-19) * page 4, line 20 - page 13, line 24; figures 1-8 * ---	1-5,7,8, 10	
A	WO 01 17209 A (NOKIA MOBILE PHONES LTD) 8 March 2001 (2001-03-08) * page 2, line 19 - page 10, line 24; figures 1-3 * ---	1-5,7,8, 10	H04M
A	WO 99 57880 A (ERICSSON INC) 11 November 1999 (1999-11-11) * page 4, line 1 - page 7, line 18; figures 1,2 * ---	1-5,7,8, 10	
A	EP 0 783 219 A (NOKIA MOBILE PHONES LTD) 9 July 1997 (1997-07-09) * column 5, line 43 - column 10, line 18; claim 18; figures 1-3 * ---	1,7,10	
-/--			
The present search report has been drawn up for all claims			
Place of search	Date of completion of the search	Examiner	
THE HAGUE	26 August 2002	Delangue, P	
CATEGORY OF CITED DOCUMENTS		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document			

EPO FORM 1503 03/02 (P04C01)



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 02 01 0658

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
A	EP 0 763 921 A (AT & T CORP) 19 March 1997 (1997-03-19) * column 4, line 29 - column 6, line 24; figure 1 *	1,6,7,9	
			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 26 August 2002	Examiner Delangue, P
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

EPO FORM 1503 03.92 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 01 0658

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

26-08-2002

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
EP 0399520	A	28-11-1990	JP	2308694 A	21-12-1990
			JP	2852065 B2	27-01-1999
			JP	3054987 A	08-03-1991
			DE	69029163 D1	02-01-1997
			DE	69029163 T2	22-05-1997
			EP	0399520 A2	28-11-1990
			US	5128981 A	07-07-1992
WO 9939490	A	05-08-1999	AU	746795 B2	02-05-2002
			AU	2575199 A	16-08-1999
			BR	9908354 A	28-11-2000
			CA	2319621 A1	05-08-1999
			CN	1289501 T	28-03-2001
			EE	200000448 A	17-12-2001
			EP	1053622 A1	22-11-2000
			JP	2002502191 T	22-01-2002
			PL	342142 A1	21-05-2001
			TR	200002261 T2	21-11-2000
			WO	9939490 A1	05-08-1999
WO 9921101	A	29-04-1999	US	6418309 B1	09-07-2002
			AU	742091 B2	20-12-2001
			AU	1107599 A	10-05-1999
			BR	9813880 A	26-09-2000
			CA	2308165 A1	29-04-1999
			CN	1277691 T	20-12-2000
			DE	69801377 D1	20-09-2001
			DE	69801377 T2	29-05-2002
			EE	200000250 A	15-06-2001
			EP	1029289 A1	23-08-2000
			ES	2162475 T3	16-12-2001
			JP	2001521223 T	06-11-2001
			PL	340256 A1	29-01-2001
			TR	200001049 T2	23-10-2000
			WO	9921101 A1	29-04-1999
WO 9807265	A	19-02-1998	US	6317593 B1	13-11-2001
			AU	3969997 A	06-03-1998
			CA	2262592 A1	19-02-1998
			EP	0917795 A1	26-05-1999
			JP	2000516414 T	05-12-2000
			WO	9807265 A1	19-02-1998
WO 0117209	A	08-03-2001	AU	7107800 A	26-03-2001
			WO	0117209 A1	08-03-2001

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 01 0658

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

26-08-2002

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
WO 9957880	A	11-11-1999	AU	3651699 A	23-11-1999
			WO	9957880 A1	11-11-1999
EP 0783219	A	09-07-1997	FI	960075 A	09-07-1997
			EP	0783219 A2	09-07-1997
			US	6301338 B1	09-10-2001
			US	2001028709 A1	11-10-2001
EP 0763921	A	19-03-1997	US	5787162 A	28-07-1998
			EP	0763921 A2	19-03-1997
			JP	9130458 A	16-05-1997